



**PRESENTATION ON CAHYANA™ GEOFOAM
PROJECT: LAMBEUSOE BRIDGE, LAMNO,
ACEH, SUMATRA, INDONESIA**



Road to Base Camp, Lamno, 80.5KM South from Banda Aceh



Welcome to Aceh



Road to Base Camp, Lamno, 80.5KM South from Banda Aceh





Road to Base Camp, Lamno, 80.5KM South from Banda Aceh



Base Camp, Lamno, 80.5KM South from Banda Aceh



Base Camp, Lamno, 80.5KM South from Banda Aceh



Base Camp, Lamno, 80.5KM South from Banda Aceh



Base Camp, Lamno, 80.5KM South from Banda Aceh



Base Camp, Lamno, 80.5KM South from Banda Aceh



Grub soil before placing Geofom



Grub soil before placing Geofom



Grub soil before placing Geofilm



Grub soil before placing Geofoam





Before Bridge, Cars Traffic by River Raft



USAID
DARI RAKYAT AMERIKA

KIT 80.5



USAID: Dari Rakyat Amerika



Before Bridge, Cars Traffic by River Raft



Before Bridge, Cars Traffic by River Raft





Before Bridge, Cars Traffic by River Raft

Geofoam Properties

- Total usage : 1475 cubic meter (net)
- Geofoam Quality is ASTM D6817 EPS-22
 - ❖ Compressive Resistance 1%-strain = 50 kPa = 5,0 t/m² = 0,50 kg/cm²
 - ❖ Compressive Resistance 5%-strain = 115 kPa = 11,5 t/m² = 1,15 kg/cm²
 - ❖ Compressive Resistance 10%-strain = 135 kPa = 13,5 t/m² = 1,35 kg/cm²
 - ❖ Flexural Strength = 276 kPa*
- In sizes of
 - ❖ 6000mm x 1000mm x 600mm
 - ❖ 5200mm x 1000mm x 600mm
 - ❖ 3000mm x 1000mm x 600mm
 - ❖ 2600mm x 1000mm x 600mm
 - ❖ 6000mm x 1000mm x 300mm
 - ❖ 5200mm x 1000mm x 300mm
 - ❖ 3000mm x 1000mm x 300mm
 - ❖ 2600mm x 1000mm x 300mm, etc., according to geofoam layout drawing



Geofoams with their IDs



Field Cutting Geofoam





Installing Geof foam



Installing Geof foam





**Reinforce-bars after Geofabric,
Geomembrane, and Geotextile**



**Reinforce-bars above Geotextile,
Geomembrance and Geofoam**



ShearProtect Connector Plate



**Reinforce-bars above Geotextile,
Geomembrance and Geofoam**



Open Traffic (END)

Thank you for you Attention,
Terima kasih!
Questions? Pertanyaan?

visit www.cahyana.com or email: cahyanaeps@gmail.com